

## Discharge Monitoring Report - STA 3-4 - Submittal Date: May 2006

Monitoring Period: February 01, 2006 - February 28, 2006

Permit # FL0300195

Discharge Point Number: D001

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small>  Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  5/19/2006
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow G376B	Calc	Daily		143	333	cfs
Dissolved Oxygen	00300 1 EFF-1 outflow G376B	In Situ	Weekly	1.44			mg/l
Dissolved Oxygen	00300 5 SWU-1 inflow G370	In Situ	Weekly	4.44			mg/l
pH	00400 1 EFF-1 outflow G376B	In Situ	Weekly	7.09		7.69	SU field
Total Phosphorus	00665 Y EFF-1 outflow G376B	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.019		mg/l as P
Total Phosphorus	00665 P SWU-1 inflow G370	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.128		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: May 2006

Monitoring Period: February 01, 2006 - February 28, 2006

Permit # FL0300195

Discharge Point Number: D002

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small>  Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  5/19/2006
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G376E	Calc	Daily		125	301	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G376E	In Situ	Weekly	2.87			mg/l
Dissolved Oxygen	00300 5 SWU-2 inflow G370	In Situ	Weekly	4.44			mg/l
pH	00400 1 EFF-2 outflow G376E	In Situ	Weekly	7.37		7.71	SU field
Total Phosphorus	00665 P EFF-2 outflow G376E	Grab / Flow - Proportional Composite	Weekly		Flow -wt Mean 0.025		mg/l as P
Total Phosphorus	00665 Y SWU-2 inflow G370	Grab / Flow - Proportional Composite	Weekly		Flow -wt Mean 0.128		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: May 2006

Monitoring Period: February 01, 2006 - February 28, 2006

Permit # FL0300195

Discharge Point Number: D003

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small>  Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  5/19/2006			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-3 outflow G379B	Calc	Daily		120	568	cfs
Dissolved Oxygen	00300 1 EFF-3 outflow G379B	In Situ	Weekly	4.73			mg/l
Dissolved Oxygen	00300 5 SWU-3 inflow G372	In Situ	Weekly	3.79			mg/l
pH	00400 1 EFF-3 outflow G379B	In Situ	Weekly	7.73		7.97	SU field
Total Phosphorus	00665 Y EFF-3 outflow G379B	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.024		mg/l as P
Total Phosphorus	00665 P SWU-3 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.119		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: May 2006

Monitoring Period: February 01, 2006 - February 28, 2006

Permit # FL0300195

Discharge Point Number: D004

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small>  Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  5/19/2006
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-4 outflow G379D	Calc	Daily		120	669	cfs
Dissolved Oxygen	00300 1 EFF-4 outflow G379D	In Situ	Weekly	4.41			mg/l
Dissolved Oxygen	00300 5 SWU-4 inflow G372	In Situ	Weekly	3.79			mg/l
pH	00400 1 EFF-4 outflow G379D	In Situ	Weekly	7.61		8.01	SU field
Total Phosphorus	00665 Y EFF-4 outflow G379D	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.025		mg/l as P
Total Phosphorus	00665 P SWU-4 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.119		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: May 2006

Monitoring Period: February 01, 2006 - February 28, 2006

Permit # FL0300195

Discharge Point Number: D005

[X] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small>  Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  5/19/2006			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-5 outflow G381B	Calc	Daily		22	0	cfs
Dissolved Oxygen	00300 1 EFF-5 outflow G381B	In Situ	Weekly	NOD=9			mg/l
Dissolved Oxygen	00300 5 SWU-5 inflow G372	In Situ	Weekly	3.79			mg/l
pH	00400 1 EFF-5 outflow G381B	In Situ	Weekly	NOD=9		NOD=9	SU field
Total Phosphorus	00665 Y EFF-5 outflow G381B	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.024		mg/l as P
Total Phosphorus	00665 P SWU-5 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.119		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: May 2006

Monitoring Period: February 01, 2006 - February 28, 2006

Permit # FL0300195

Discharge Point Number: D006

☒ <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small>  Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  5/19/2006
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-6 outflow G381E	Calc	Daily		28	0	cfs
Dissolved Oxygen	00300 1 EFF-6 outflow G381E	In Situ	Weekly	NOD=9			mg/l
Dissolved Oxygen	00300 5 SWU-6 inflow G372	In Situ	Weekly	3.79			mg/l
pH	00400 1 EFF-6 outflow G381E	In Situ	Weekly	NOD=9		NOD=9	SU field
Total Phosphorus	00665 Y EFF-6 outflow G381E	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.019		mg/l as P
Total Phosphorus	00665 P SWU-6 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -wt Mean 0.119		mg/l as P